

# OILY GEL BASE

PHASE	INGREDIENTS	PROVIDER	INCI	(wt-%)
<b>A</b>	<b>KANEKA SURFACTIN</b>	<b>Kaneka Corporation</b>	<b>Sodium Surfactin</b>	<b>0.50</b>
	<b>GLYCERIN QD</b>	<b>Sakamoto Yakuhin Kogyo</b>	<b>Glycerin</b>	<b>33.00</b>
	<b>PINEAPPLE CERAMIDE</b>	<b>Tribeauté</b>	<b>Cyclodextrin, Ananas Sativus (Pineapple) Fruit Extract</b>	<b>0.10</b>
<b>B</b>	PHYTOSQUALAN	Sophim	Squalane	8.00
	O.D.O.	Nisshin Oillio	Caprylic/Capric Triglyceride	52.40
	BAOBAB SARICHÉ	Toyo Sugar Refining	Adansonia Digitata Seed Oil	0.50
<b>C</b>	PURIFIED WATER		Water	5.30
	HYDROLITE-5 GREEN	Symrise	Pentylene Glycol	0.20
			<b>Total</b>	<b>100,00</b>

- 1/ Put phase A into a vessel and heat to 75-80°C to dissolve the powder.
- 2/ Put phase B into another vessel and heat to 75-80°C while mixing.
- 3/ Keep the temperature at 75-80°C and gradually add phase B into phase A under agitation.
- 4/ Cool this phase (A+B) down to room temperature then add phase C and make the preparation homogenous.