

# OILY GEL BASE

PHASE	INGREDIENTS	PROVIDER	INCI	(wt-%)
<b>A</b>	<b>KANEKA SURFACTIN</b>	<b>Kaneka Corporation</b>	<b>Sodium Surfactin</b>	<b>0.50</b>
	<b>GLYCERIN QD</b>	<b>Sakamoto Yakuhin Kogyo</b>	<b>Glycerin</b>	<b>33.00</b>
	<b>PINEAPPLE CERAMIDE</b>	<b>Tribeauté</b>	<b>Cyclodextrin, Ananas Sativus (Pineapple) Fruit Extract</b>	<b>0.10</b>
<b>B</b>	PHYTOSQUALAN	Sophim	Squalane	8.00
	O.D.O.	Nisshin Oillio	Caprylic/Capric Triglyceride	52.40
	BAOBAB SARICHÉ	Toyo Sugar Refining	Adansonia Digitata Seed Oil	0.50
<b>C</b>	PURIFIED WATER		Water	5.30
	HYDROLITE-5 GREEN	Symrise	Pentylene Glycol	0.20
			<b>Total</b>	<b>100,00</b>

1/ Mettere la fase A in un recipiente e riscaldare a 75-80°C per sciogliere la polvere.

2/ Mettere la fase B in un altro recipiente e riscaldare a 75-80°C mescolando.

3/ Mantenere la temperatura a 75-80°C e aggiungere gradualmente la fase B alla fase A sotto agitazione.

4/ Raffreddare questa fase A+B a temperatura ambiente, quindi aggiungere la fase C e rendere il preparato omogeneo.